



## BRIGHAM YOUNG UNIVERSITY

### PERFORMING ARTS MANAGEMENT

---

#### The Young Ambassadors

##### Technical Rider

2026 - 2027

---

*This information is provided to acquaint you with the technical/show requirements for the BYU Young Ambassadors.*

#### **Personnel**

The Young Ambassadors are a company of student performing artists and technicians from the Brigham Young University Department of Dance in Provo, Utah. The company includes the following personnel:

- Artistic Director
- Production Manager
- Technical Director
- Cast & crew
  - 20 Performers
  - Stage Manager
  - Audio Engineer
  - 2 Stagehands

The group travels in a charter bus. Adequate parking should be provided on site for the duration of the performance. Props, and technical equipment are transported in a cargo van. The van may need to remain parked on site at the venue for the duration of the performance.

#### **Labor**

At a minimum we require (1) stage technician with complete knowledge of and access to all lighting, sound, stage equipment and systems. The venue technician(s) must be on-site at all times when the company is in the facility. The BYU technicians and company members provide the majority of the labor for setup, show operations, and strike. As an educational experience we ask you to allow our students to work with your crews when possible while following contracted venue labor guidelines.

#### **Schedule**

Times are based on a 7:00 pm show time. Please adjust schedule accordingly for alternate start time.

- 1:00 Load-in
- 3:30 Spacing rehearsal
- 4:30 Dinner break: Provided by presenter at or near venue
- 5:30 Final lighting and sound checks and technical preparation
- 6:30 House open: Please check with the company stage manager prior to opening doors
- 7:00 90-minute performance with no intermission
- 8:30 Load-out will begin at the conclusion of the show and will take approximately one (1) hour.
  - \* Cast members will meet and greet audience members in the lobby after the show (15 min.)

#### **Stage**

The stage, at a minimum, should include the following:

- A 40' x 30' (12m x 9m) obstruction free performance space. These dimensions do not include the apron, wings, crossover, etc.
- A smooth sprung wood floor, painted black, and free of holes, cracks, splinters, nails, etc.
- A "Marley" type dance floor covering the performance floor if available
  - \* **In the US, BYU travels with a dance floor and will install it if no other floor is available**
- Black curtains in the wings and a full stage blackout curtain upstage
- Wing space on stage left and right free and clear of all venue scenery, props, equipment, and storage
- A "cross-over" or a hallway upstage with easy access to both sides of the performance space
  - \* **Please have the entire stagehouse cleared, swept and mopped prior to our arrival**
- Separate dressing rooms or changing spaces with costume racks for 10 women & 10 men

#### **House**

BYU Dance Productions require a control area in the house. 12 linear feet of space with a table and 4 chairs is necessary. This control area will require a dedicated 20-amp electrical circuit. A 3' x 3' space at the center back of house unobstructed by audience is required for placement of our video projector. This video projector will require a dedicated 20-amp electrical circuit.

**\*The in-house production spaces listed above may require "killing" of house seats.**

**Please coordinate with the House Manager and Box Office in advance to avoid conflicts between patrons and production requirements**

## ***Lighting***

All lighting will be operated from the in-house control console when possible. It will be necessary to provide a data connection to the house system from this position. Access to turn on/off the audience lights before and after the show is necessary. Requested venue stage lighting should be set prior to our arrival. We are willing to work with a repertory light plot when available. A reference light plot is included.

Venue provided lighting:

- Front: An LED color mixing wash focused to evenly cover the entire performance area from the front
  - If LED lighting is unavailable a 2-color wash (R05, and R365) is acceptable
- Top: An LED color mixing wash focused to evenly cover the entire performance area from over the stage
  - If LED lighting is unavailable a 2-color wash (R80, and R24) is acceptable
- Hi-side: An LED color mixing wash focused to evenly cover the entire performance area from the pipe ends
  - If LED lighting is unavailable a 2-color wash (R05, and R365) is acceptable
- Automation: 4 - 10,000 lumen moving head fixtures if available

BYU provided lighting:

- Side Light: The company brings all necessary side light - 4 booms stage right, and 4 boom stage left, with 2 lights on each boom.
- These are LED fixtures and will require 2 electrical circuits: 20-amp 120v U.S. or 10-amp 240v international.
- Control: The company travels with an *IONxe* lighting console pre-programmed for the show.

## ***Sound***

- A professional quality sound system is required. The sound system must be capable of producing clean undistorted sound up to 100db. It should include all mixing, processing and amplification equipment. In addition, professional quality monitors should be available for playback to the stage.
- The company travels with a mixer, microphones, playback and other show specific equipment. An in-house mix position for the company sound engineer and mixer is required. We will provide a stereo audio feed from our mixer to the house sound system.
- Young Ambassadors use a system of 24 wireless mics provided by the company. *Frequencies can be provided upon request.*
- The company travels with a wireless intercom system.

## ***Video Projection***

The Young Ambassadors use video projections as scenery throughout the show. We travel with a projection screen and projector for this purpose. The screen will be placed at the back of the performance area. The projector will need to be placed at the back of the house or in a location that is unobstructed by the audience. All content is sent from our *Q-Lab* show control system.

## ***Power***

- (3) 20-amp electrical circuits on stage are required for BYU provided sound and lighting equipment.
- (2) 20-amp electrical circuits in the house are required for BYU front of house control and video projection.

## ***Performance Site Information***

Please also send all available technical information including floor plans, light plots, photos and technical contact and the BYU Performance Site Questionnaire as soon as possible. <https://pam.byu.edu/wp-content/uploads/2025/03/PSQ-English-Fillable-1-1-1.pdf>

## ***Contact Information***

### **Shane Wright**

Artist Manager  
Performing Arts Management  
306 Hinckley Center | Provo, UT 84062  
Office: (801) 422-3579  
E-mail: [shane\\_wright@byu.edu](mailto:shane_wright@byu.edu)

### **Benjamin Sanders**

Director of Productions  
BYU Department of Dance  
2231 RB | Provo, UT 84062  
Office: (801) 422-2110  
E-mail: [benjamin\\_sanders@byu.edu](mailto:benjamin_sanders@byu.edu)

